



## Zen-Bio Products in Research

- **Progesterone metabolism in adipose cells**  
Y. Zhang, M. Nadeau, F. Faucher, O. Lescelleur, S. Biron, M. Daris, C. Rheaume, V. Luu-The and A. Tchernof  
**Mol Cell Endocrinol.** 2009; **298** (1-2): 76-83.
- **Monocyte chemotactic protein-1 (MCP-1)-induced protein, a recently identified Zn-finger protein, induces adipogenesis in 3T3-L1 pre-adipocytes without peroxisome proliferator-activated receptor gamma**  
C. W. Younce, A. Azfer and P. E. Kolattukudy  
**J Biol Chem.** 2009;
- **Tissue Engineering of Injectable Soft tissue Filler: Using Adipose Stem Cells and Micronized Acellular Dermal Matrix**  
G. Yoo and J. S. Lim  
**J Korean Med Sci.** 2009; **24** (1): 104-9.
- **Effect of Ceramide on Mesenchymal Stem Cell Differentiation Toward Adipocytes**  
F. Xu, C. C. Yang, C. Gomillion and K. J. Burg  
**Appl Biochem Biotechnol.** 2009;
- **Rosiglitazone Abrogates Bleomycin-Induced Scleroderma and Blocks Profibrotic Responses Through Peroxisome Proliferator-Activated Receptor- $\gamma$**   
M. Wu, D. S. Melichian, E. Chang, M. Warner-Blankenship, A. K. Ghosh and J. Varga  
**Am J Pathol.** 2009; **174** (2): 519-33.
- **IL-33, a recently identified interleukin-1 gene family member, is expressed in human adipocytes**  
I. S. Wood, B. Wang and P. Trayhurn  
**Biochem Biophys Res Commun.** 2009; **384** (1): 105-9.
- **In vitro investigations related to the hypothesis that Lipotrophia semicircularis finds its origin in electro-stimulation**  
L. Verschaeve and A. Maes  
**J Appl Toxicol.** 2009; **29** (6): 478-82.
- **Natriuretic peptides enhance the production of adiponectin in human adipocytes and in patients with chronic heart failure**  
O. Tsukamoto, M. Fujita, M. Kato, S. Yamazaki, Y. Asano, A. Ogai, H. Okazaki, M. Asai, Y. Nagamachi, N. Maeda, Y. Shintani, T. Minamino, M. Asakura, I. Kishimoto, T. Funahashi, H. Tomoike and M. Kitakaze  
**J Am Coll Cardiol.** 2009; **53** (22): 2070-7.

### Zen-Bio, Inc.

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709  
Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693  
<http://www.zen-bio.com> • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)



- **Heterochromatin Protein 1 $\gamma$  Epigenetically Regulates Cell Differentiation and Exhibits Potential as a Therapeutic Target for Various Types of Cancers**  
M. Takanashi, K. Oikawa, K. Fujita, M. Kudo, M. Kinoshita and M. Kuroda  
**Am J Pathol.** 2009; **174** (1): 309-16.
- **Thrombin increases inflammatory cytokine and angiogenic growth factor secretion in human adipose cells in vitro**  
J. L. Strande and S. A. Phillips  
**J Inflamm (Lond).** 2009; **6** 4.
- **White Tea extract induces lipolytic activity and inhibits adipogenesis in human subcutaneous (pre)-adipocytes**  
J. Söhle, A. Knott, U. Holtzmann, R. Siegner, E. Grönniger, A. Schepky, S. Gallinat, H. Wenck, F. Stäb and M. Winnefeld  
**Nutr Metab (Lond).** 2009; **6** 20.
- **Anti-obesity effects of xanthohumol plus guggulsterone in 3T3-L1 adipocytes**  
S. Rayalam, J. Y. Yang, M. A. Della-Fera, H. J. Park, S. Ambati and C. A. Baile  
**J Med Food.** 2009; **12** (4): 846-53.
- **Tissue-specific alternative splicing of TCF7L2**  
L. Prokunina-Olsson, C. Welch, O. Hansson, N. Adhikari, L. J. Scott, N. Usher, M. Tong, A. Sprau, A. Swift, L. L. Bonnycastle, M. R. Erdos, Z. He, R. Saxena, B. Harmon, O. Kotova, E. P. Hoffman, D. Altshuler, L. Groop, M. Boehnke, F. S. Collins and J. L. Hall  
**Hum Mol Genet.** 2009; **18** (20): 3795-804.
- **Genistein inhibits differentiation of primary human adipocytes**  
H. J. Park, M. A. Della-Fera, D. B. Hausman, S. Rayalam, S. Ambati and C. A. Baile  
**J Nutr Biochem.** 2009; **20** (2): 140-8.
- **3D hydrogel model using adipose-derived stem cells for vocal fold augmentation**  
H. Park, S. Karajanagi, K. Wolak, J. Aanestad, L. Deheron, J. Kobler, G. Lopez-Guerra, J. Heaton, R. S. Langer and S. Zeitels  
**Tissue Eng Part A.** 2009;
- **RhoA induces expression of inflammatory cytokine in adipocytes**  
Y. Nakayama, R. Komuro, A. Yamamoto, Y. Miyata, M. Tanaka, M. Matsuda, A. Fukuhara and I. Shimomura  
**Biochem Biophys Res Commun.** 2009; **379** (2): 288-92.
- **The Ron receptor tyrosine kinase negatively regulates mammary gland branching morphogenesis**  
S. E. Meyer, G. M. Zinser, W. D. Stuart, P. Pathrose and S. E. Waltz  
**Dev Biol.** 2009; **333** (1): 173-85.
- **DNA methylation-associated repression of cancer-germline genes in human embryonic and adult stem cells**  
A. Lorient, S. Reister, G. K. Parvizi, P. A. Lysy and C. De Smet  
**Stem Cells.** 2009; **27** (4): 822-4.

Zen-Bio, Inc.

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709

Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693

<http://www.zen-bio.com> • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)




- **Lactate inhibits lipolysis in fat cells through activation of an orphan G-protein-coupled receptor, GPR81**  
C. Liu, J. Wu, J. Zhu, C. Kuei, J. Yu, J. Shelton, S. W. Sutton, X. Li, S. J. Yun, T. Mirzadegan, C. Mazur, F. Kamme and T. W. Lovenberg  
**J Biol Chem.** 2009; **284** (5): 2811-22.
- **In vitro studies investigating the effect of subcutaneous phosphatidylcholine injections in the 3T3-L1 adipocyte model: lipolysis or lipid dissolution?**  
S. M. Klein, S. Schreml, M. Nerlich and L. Prantl  
**Plast Reconstr Surg.** 2009; **124** (2): 419-27.
- **High Efficiency Lipid-Based siRNA Transfection of Adipocytes in Suspension**  
G. Kilroy, D. H. Burk and Z. E. Floyd  
**PLoS One.** 2009; **4** (9):
- **Altered lipid metabolism in vasopressin V1B receptor-deficient mice**  
M. Hiroyama, Y. Fujiwara, K. Nakamura, T. Aoyagi, R. Mizutani, A. Sanbe, R. Tasaki and A. Tanoue  
**Eur J Pharmacol.** 2009; **602** (2-3): 455-61.
- **Identification of macrophage inhibitory cytokine-1 in adipose tissue and its secretion as an adipokine by human adipocytes**  
Q. Ding, T. Mracek, P. Gonzalez-Muniesa, K. Kos, J. Wilding, P. Trayhurn and C. Bing  
**Endocrinology.** 2009; **150** (4): 1688-96.
- **Intracellular infections enhance interleukin-6 and plasminogen activator inhibitor 1 production by cocultivated human adipocytes and THP-1 monocytes**  
J. J. Bouwman, R. J. Diepersloot and F. L. Visseren  
**Clin Vaccine Immunol.** 2009; **16** (8): 1222-7.
- **Differential estrogenic 17beta-hydroxysteroid dehydrogenase activity and type 12 17beta-hydroxysteroid dehydrogenase expression levels in preadipocytes and differentiated adipocytes**  
V. Bellemare, P. Laberge, S. Noel, A. Tchernof and V. Luu-The  
**J Steroid Biochem Mol Biol.** 2009; **114** (3-5): 129-34.
- **Differential regulation of adipocyte PDE3B in distinct membrane compartments by insulin and the beta3-receptor agonist CL316243: Effects of caveolin-1 knockdown on formation/maintenance of macromolecular signaling complexes**  
F. Ahmad, R. Lindh, Y. Tang, L. Ruishalme, A. Ost, P. Stralfors, E. Degerman and V. C. Manganiello  
**Biochem J.** 2009;
- **A novel selective 11β-hydroxysteroid dehydrogenase type 1 inhibitor prevents human adipogenesis**  
I. J. Bujalska, L. L. Gathercole, J. W. Tomlinson, C. Darimont, J. Ermolieff, A. N. Fanjul, P. A. Rejto and P. M. Stewart  
**J Endocrinol.** 2008; **197** (2): 297-307.

**Zen-Bio, Inc.**

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709  
Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693  
<http://www.zen-bio.com> • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)



- **PCR arrays identify metallothionein-3 as a highly hypoxia-inducible gene in human adipocytes**  
B. Wang, I. S. Wood and P. Trayhurn  
**Biochem Biophys Res Commun.** 2008; **368** (1): 88-93.
- **Inhibition of 11 $\beta$ HSD1 with the S-phenylethylaminothiazolone BVT116429 increases adiponectin concentrations and improves glucose homeostasis in diabetic KKAy mice**  
M. Sundbom, C. Kaiser, E. Björkstrand, V. M. Castro, C. Larsson, G. Selén, C. S. Nyhem and S. R. James  
**BMC Pharmacol.** 2008; **8** 3.
- **Identification of omentin mRNA in human epicardial adipose tissue: comparison to omentin in subcutaneous, internal mammary artery periadventitial and visceral abdominal depots**  
J. N. Fain, H. S. Sacks, B. Buehrer, S. W. Bahouth, E. Garrett, R. Y. Wolf, R. A. Carter, D. S. Tichansky and A. K. Madan  
**Int J Obes (Lond).** 2008; **32** (5): 810-5.
- **Regulation of lipin-1 gene expression by glucocorticoids during adipogenesis**   
P. Zhang, L. O'Loughlin, D. N. Brindley and K. Reue  
**J Lipid Res.** 2008; **49** (7): 1519-28.
- **Regulation of adiponectin release and demonstration of adiponectin mRNA as well as release by the non-fat cells of human omental adipose tissue**  
J. N. Fain, B. Buehrer, D. S. Tichansky and A. K. Madan  
**Int J Obes (Lond).** 2008; **32** (3): 429-35.
- **Calcitriol and calcium regulate cytokine production and adipocyte-macrophage cross-talk**  
X. Sun and M. B. Zemel  
**J Nutr Biochem.** 2008; **19** (6): 392-9.
- **Comparison of messenger RNA distribution for 60 proteins in fat cells vs the nonfat cells of human omental adipose tissue**  
J. N. Fain, B. Buehrer, S. W. Bahouth, D. S. Tichansky and A. K. Madan  
**Metabolism.** 2008; **57** (7): 1005-15.
- **Role of Calcitriol and Cortisol on Human Adipocyte Proliferation and Oxidative and Inflammatory Stress: A Microarray Study**  
Xiaocun Sun, Kristin L. Morris, Michael B. Zemel  
**Journal of Nutrigenetics and Nutrigenomics**, 2008;1:30-48
- **FUS-DDIT3 Prevents the Development of Adipocytic Precursors in Liposarcoma by Repressing PPAR $\gamma$  and C/EBP $\alpha$  and Activating eIF4E**  
P. A. Pérez-Mancera, C. Bermejo-Rodríguez, M. Sánchez-Martín, F. Abollo-Jiménez, B. Pintado and I. Sánchez-García  
**PLoS ONE.** 2008; **3** (7):

Zen-Bio, Inc.

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709

Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693

<http://www.zen-bio.com> • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)



- **Glucocorticoid Signaling Defines a Novel Commitment State during Adipogenesis In Vitro**  
C. Pantoja, J. T. Huff and K. R. Yamamoto  
**Mol Biol Cell.** 2008; **19** (10): 4032-41.
- **Orphan Nuclear Receptor NOR-1 Enhances 3',5'-Cyclic Adenosine 5'-Monophosphate-Dependent Uncoupling Protein-1 Gene Transcription**  
N. Kumar, D. Liu, H. Wang, J. Robidoux and S. Collins  
**Mol Endocrinol.** 2008; **22** (5): 1057-64.
- **Trans-10, cis-12 conjugated linoleic acid antagonizes ligand-dependent PPARgamma activity in primary cultures of human adipocytes**  
A. Kennedy, S. Chung, K. LaPoint, O. Fabiyi and M. K. McIntosh  
**J Nutr.** 2008; **138** (3): 455-61.
- **Mineralocorticoid receptor blockade reverses obesity-related changes in expression of adiponectin, peroxisome proliferator-activated receptor-gamma, and proinflammatory adipokines**  
C. Guo, V. Ricchiuti, B. Q. Lian, T. M. Yao, P. Coutinho, J. R. Romero, J. Li, G. H. Williams and G. K. Adler  
**Circulation.** 2008; **117** (17): 2253-61.
- **Viscoelastic properties of human mesenchymally-derived stem cells and primary osteoblasts, chondrocytes, and adipocytes**  
E. M. Darling, M. Topel, S. Zauscher, T. P. Vail and F. Guilak  
**J Biomech.** 2008; **41** (2): 454-64.
- **Adipose-Specific Disruption of Signal Transducer and Activator of Transcription 3 Increases Body Weight and Adiposity**  
E. R. Cernkovich, J. Deng, M. C. Bond, T. P. Combs and J. B. Harp  
**Endocrinology.** 2008; **149** (4): 1581-90.
- **Methionine Restriction Effects on 11 $\beta$ -HSD1 Activity and Lipogenic/Lipolytic Balance in F344 Rat Adipose Tissue**  
Carmen E. Perrone, Dwight A. L. Mattocks, George Hristopoulos, Jason D. Plummer, Rozlyn A. Krajcik, And J Norman Orentreich J  
**Journal of Lipid Research**, Jan 2008; 49: 12 - 23.
- **The Differential Interactions of Peroxisome Proliferator-Activated Receptor  $\gamma$  Ligands with Tyr473 Is a Physical Basis for Their Unique Biological Activities**  
Monica Einstein, Taro E. Akiyama, Gino A. Castriota, Chuanlin F. Wang, Brian McKeever, Ralph T. Mosley, Joseph W. Becker, David E. Moller, Peter T. Meinke, Harold B. Wood, and Joel P. Berger  
**Mol. Pharmacol.**, Jan 2008; 73: 62 - 74.

**Zen-Bio, Inc.**

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709  
Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693  
[http:// www.zen-bio.com](http://www.zen-bio.com) • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)



- **Adipose tissue mass is modulated by *SLUG (SNAI2)***  
Pedro Antonio Pérez-Mancera, Camino Bermejo-Rodríguez, Inés González-Herrero, Michel Herranz, Teresa Flores, Rafael Jiménez, and Isidro Sánchez-García  
**Hum. Mol. Genet.**, Dec 2007; 16: 2972 - 2986.
- **Resveratrol Potentiates Genistein's Antiadipogenic and Proapoptotic Effects in 3T3-L1 Adipocytes**  
Srujana Rayalam, Mary Anne Della-Fera, Jeong-Yeh Yang, Hea Jin Park, Suresh Ambati, and Clifton A. Baile  
**J. Nutr.**, Dec 2007; 137: 2668 - 2673.
- **Angiotensin II Regulates Adipocyte Apolipoprotein E Expression**  
Poornima Rao, Zhi Hua Huang, and Theodore Mazzone  
**J. Clin. Endocrinol. Metab.**, Nov 2007; 92: 4366 - 4372.
- **The Differential Interactions of Peroxisome Proliferator-Activated Receptor  $\gamma$  Ligands with Tyr473 Is a Physical Basis for Their Unique Biological Activities**  
Monica Einstein, Taro E. Akiyama, Gino A. Castriota, Chuanlin F. Wang, Brian McKeever, Ralph T. Mosley, Joseph W. Becker, David E. Moller, Peter T. Meinke, Harold B. Wood, and Joel P. Berger  
**Mol. Pharmacol.**, Jan 2008; 73: 62 - 74.
- **Methionine restriction effects on 11 $\beta$ -HSD1 activity and lipogenic/lipolytic balance in F344 rat adipose tissue**  
Carmen E. Perrone, Dwight A. L. Mattocks, George Hristopoulos, Jason D. Plummer, Rozlyn A. Krajcik, and Norman Orentreich  
**J. Lipid Res.**, Oct 2007; 10.1194/jlr.M700194-JLR200.
- **Inflammation may modulate IL-6 and C-reactive protein gene expression in the adipose tissue: the role of IL-6 cell membrane receptor**  
Bruno Memoli, Alfredo Procino, Paolo Calabrò, Pasquale Esposito, Giuseppe Grandaliano, Giovanni Pertosa, Marco Del Prete, Michele Andreucci, Saverio Di Lillo, Giuseppe Ferulano, Clemente Cillo, Silvia Savastano, Annamaria Colao, and Brunella Guida  
**Am J Physiol Endocrinol Metab.**, Oct 2007; 293: E1030 - E1035.
- **Isoginkgetin enhances adiponectin secretion from differentiated adiposarcoma cells via a novel pathway involving AMP-activated protein kinase**  
Guohong Liu, Mirta Grifman, James Macdonald, Peter Moller, Flossie Wong-Staal, and Qi-Xiang Li  
**J. Endocrinol.**, Sep 2007; 194: 569 - 578.
- **1 $\alpha$ ,25-Dihydroxyvitamin D<sub>3</sub> Modulation of Adipocyte Reactive Oxygen Species Production**  
Xiaocun Sun and Michael B. Zemel  
**Obesity**, Aug 2007; 15: 1944 - 1953.

**Zen-Bio, Inc.**

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709  
Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693  
[http:// www.zen-bio.com](http://www.zen-bio.com) • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)



- **Mechanisms involved in the cytotoxic and cytoprotective actions of saturated versus monounsaturated long-chain fatty acids in pancreatic  $\beta$ -cells**  
Eleftheria Diakogiannaki, Shalinee Dhayal, Caroline E Childs, Philip C Calder, Hannah J Welters, and Noel G Morgan  
**J. Endocrinol.**, Aug 2007; 194: 283 - 291.
- **Nicotinic Acid Receptor Agonists Differentially Activate Downstream Effectors**  
Jeremy G. Richman, Martha Kanemitsu-Parks, Ibragim Gaidarov, Jill S. Cameron, Peter Griffin, Hong Zheng, Nuvia C. Guerra, Linda Cham, Dominique Maciejewski-Lenoir, Dominic P. Behan, Doug Boatman, Ruoping Chen, Philip Skinner, Pricilla Ornelas, M. Gerard Waters, Samuel D. Wright, Graeme Semple, and Daniel T. Connolly  
**J. Biol. Chem.**, Jun 2007; 282: 18028 - 18036.
- **Adipose-Derived Stem Cells for Regenerative Medicine**  
Jeffrey M. Gimble, Adam J. Katz, and Bruce A. Bunnell  
**Circ. Res.**, May 2007; 100: 1249 - 1260.
- **A comparative metabolomic analysis of PPAR activators for evaluating drug on- and off-target effects**  
Alvin Berger, Dan Stevens, and Michael Milburn  
**FASEB J**, Apr 2007; 21: A455.
- **Activation of Lipoprotein Lipase by Glucose-dependent Insulinotropic Polypeptide in Adipocytes: A ROLE FOR A PROTEIN KINASE B, LKB1, AND AMP-ACTIVATED PROTEIN KINASE CASCADE**  
Su-Jin Kim, Cuilan Nian, and Christopher H. S. McIntosh  
**J. Biol. Chem.**, Mar 2007; 282: 8557 - 8567.
- **Monoclonal antibody antagonists of hypothalamic FGFR1 cause potent but reversible hypophagia and weight loss in rodents and monkeys**  
Haijun D. Sun, Maria Malabunga, James R. Tonra, Roberto DiRenzo, Francine E. Carrick, Huiyuan Zheng, Hans-Rudolf Berthoud, Owen P. McGuinness, Juqun Shen, Peter Bohlen, Rudolph L. Leibel, and Paul Kussie  
**Am J Physiol Endocrinol Metab**, Mar 2007; 292: E964 - E976.
- **A Growth Hormone-Releasing Peptide Promotes Mitochondrial Biogenesis and a Fat Burning-Like Phenotype through Scavenger Receptor CD36 in White Adipocytes**  
Amélie Rodrigue-Way, Annie Demers, Huy Ong, and André Tremblay  
**Endocrinology**, Mar 2007; 148: 1009 - 1018.
- **Pro-inflammatory delipidizing cytokines reduce adiponectin secretion from human adipocytes without affecting adiponectin oligomerization**  
Peter J Simons, Petra S van den Pangaart, Johannes M F G Aerts, and Louis Boon  
**J. Endocrinol.**, Feb 2007; 192: 289 - 299.

**Zen-Bio, Inc.**

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709  
Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693  
[http:// www.zen-bio.com](http://www.zen-bio.com) • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)



- **Calcium and 1,25-Dihydroxyvitamin D<sub>3</sub> Regulation of Adipokine Expression**  
Xiaocun Sun and Michael B. Zemel  
**Obesity**, Feb 2007; 15: 340 - 348.
- **Hypermetabolism of Fat in V1a Vasopressin Receptor Knockout Mice**  
Masami Hiroshima, Toshinori Aoyagi, Yoko Fujiwara, Junichi Birumachi, Yosuke Shigematsu, Kohji Kiwaki, Ryuji Tasaki, Fumio Endo, and Akito Tanoue  
**Mol. Endocrinol.**, Jan 2007; 21: 247 - 258.
- **Endogenous ApoE Expression Modulates Adipocyte Triglyceride Content and Turnover**  
Zhi Hua Huang, Catherine A. Reardon, and Theodore Mazzone  
**Diabetes**, Dec 2006; 55: 3394 - 3402.
- **Preadipocytes Mediate Lipopolysaccharide-Induced Inflammation and Insulin Resistance in Primary Cultures of Newly Differentiated Human Adipocytes**  
Soonkyu Chung, Kathleen LaPoint, Kristina Martinez, Arion Kennedy, Maria Boysen Sandberg, and Michael K. McIntosh  
**Endocrinology**, Nov 2006; 147: 5340 - 5351.
- **Modulation of Early Human Preadipocyte Differentiation by Glucocorticoids**  
Julianna J. Tomlinson, Adèle Boudreau, Dongmei Wu, Ella Atlas, and Robert J. G. Haché  
**Endocrinology**, Nov 2006; 147: 5284 - 5293.
- **Modulation of Adipose Tissue Development by Pharmacological Inhibition of PAI-1**  
David L. Crandall, Elaine M. Quinet, Soulaf El Ayachi, Amy L. Hreha, Courtney E. Leik, Dawn A. Savio, Irene Juhan-Vague, and Marie-Christine Alessi  
**Arterioscler. Thromb. Vasc. Biol.**, Oct 2006; 26: 2209 - 2215.
- **Ritonavir, Saquinavir, and Efavirenz, but Not Nevirapine, Inhibit Bile Acid Transport in Human and Rat Hepatocytes**  
Mary Peace McRae, Carolina M. Lowe, Xianbin Tian, David L. Bourdet, Richard H. Ho, Brenda F. Leake, Richard B. Kim, Kim L. R. Brouwer, and Angela D. M. Kashuba  
**J. Pharmacol. Exp. Ther.**, Sep 2006; 318: 1068 - 1075.
- **Halofenate Is a Selective Peroxisome Proliferator-Activated Receptor  $\gamma$  Modulator With Antidiabetic Activity**  
Tamara Allen, Fang Zhang, Shonna A. Moodie, L. Edward Clemens, Aaron Smith, Francine Gregoire, Andrea Bell, George E.O. Muscat, and Thomas A. Gustafson  
**Diabetes**, Sep 2006; 55: 2523 - 2533.
- **The adipose tissue triglyceride lipase ATGL/PNPLA2 is downregulated by insulin and TNF- $\alpha$  in 3T3-L1 adipocytes and is a target for transactivation by PPAR $\gamma$**   
Ji Young Kim, Kristin Tillison, Jun-Ho Lee, David A. Rearick, and Cynthia M. Smas  
**Am J Physiol Endocrinol Metab**, Jul 2006; 291: E115 - E127

Zen-Bio, Inc.

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709  
Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693  
<http://www.zen-bio.com> • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)



- **Long-term treatment with interleukin-1 $\beta$  induces insulin resistance in murine and human adipocytes**  
C. Lagathu, L. Yvan-Charvet, J.-P. Bastard, M. Maachi, A. Quignard-Boulangé, J. Capeau and M. Caron  
**Diabetologia** July 2006; 49:2162–2173
- **Thiazolidinediones and Rexinoids Induce Peroxisome Proliferator-Activated Receptor-Coactivator (PGC)-1 $\alpha$  Gene Transcription: An Autoregulatory Loop Controls PGC-1 $\alpha$  Expression in Adipocytes via Peroxisome Proliferator-Activated Receptor- $\gamma$  Coactivation**  
Elayne Hondares, Ofelia Mora, Pilar Yubero, Marisa Rodriguez de la Concepción, Roser Iglesias, Marta Giralt, and Francesc Villarroya  
**Endocrinology**, Jun 2006; 147: 2829 - 2838.
- **Intronic Polymorphisms within *TFAP2B* Regulate Transcriptional Activity and Affect Adipocytokine Gene Expression in Differentiated Adipocytes**  
Shuichi Tsukada, Yasushi Tanaka, Hiroshi Maegawa, Atsunori Kashiwagi, Ryuzo Kawamori, and Shiro Maeda  
**Mol. Endocrinol.**, May 2006; 20: 1104 - 1111.
- **Overexpression of Kruppel-Like Factor 7 Regulates Adipocytokine Gene Expressions in Human Adipocytes and Inhibits Glucose-Induced Insulin Secretion in Pancreatic  $\beta$ -Cell Line**  
Yoshihiro Kawamura, Yasushi Tanaka, Ryuzo Kawamori, and Shiro Maeda  
**Mol. Endocrinol.**, Apr 2006; 20: 844 - 856.
- **Characterization of Peripheral Circadian Clocks in Adipose Tissues**  
Sanjin Zvonic, Andrey A. Ptitsyn, Steven A. Conrad, L. Keith Scott, Z. Elizabeth Floyd, Gail Kilroy, Xiyang Wu, Brian C. Goh, Randall L. Mynatt, and Jeffrey M. Gimble  
**Diabetes**, Apr 2006; 55: 962 - 970.
- **Thioredoxin-Binding Protein-2-Like Inducible Membrane Protein Is a Novel Vitamin D3 and Peroxisome Proliferator-Activated Receptor (PPAR) $\gamma$  Ligand Target Protein that Regulates PPAR $\gamma$  Signaling**  
Shin-ichi Oka, Hiroshi Masutani, Wenrui Liu, Hiroyuki Horita, Dongmei Wang, Shinae Kizaka-Kondoh, and Junji Yodoi  
**Endocrinology**, Feb 2006; 147: 733 - 743.
- **Conjugated Linoleic Acid Promotes Human Adipocyte Insulin Resistance through NF $\kappa$ B-dependent Cytokine Production**  
Soonkyu Chung, J. Mark Brown, J. Nathan Provo, Robin Hopkins, and Michael K. McIntosh  
**J. Biol. Chem.**, Nov 2005; 280: 38445 - 38456.

**Zen-Bio, Inc.**

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709  
Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693  
[http:// www.zen-bio.com](http://www.zen-bio.com) • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)



- **Expression, regulation, and triglyceride hydrolase activity of Adiponutrin family members**  
Andrew C. Lake, Ying Sun, Jian-Liang Li, Jae Eun Kim, Jeremy W. Johnson, Dongmei Li, Tracy Revett, Heather H. Shih, Wei Liu, Janet E. Paulsen, and Ruth E. Gimeno  
**J. Lipid Res.**, Nov 2005; 46: 2477 - 2487.
- **PPAR $\gamma$  regulates adipocyte cholesterol metabolism via oxidized LDL receptor 1**  
Patricia C. Chui, Hong-Ping Guan, Michael Lehrke, and Mitchell A. Lazar  
**J. Clin. Invest.**, Aug 2005; 115: 2244 - 2256.
- **FGF-21 as a novel metabolic regulator**  
Alexei Kharitonov, Tatiyana L. Shiyanova, Anja Koester, Amy M. Ford, Radmila Micanovic, Elizabeth J. Galbreath, George E. Sandusky, Lisa J. Hammond, Julie S. Moyers, Rebecca A. Owens, Jesper Gromada, Joseph T. Brozinick, Eric D. Hawkins, Victor J. Wroblewski, De-Shan Li, Farrokh Mehrbod, S. Richard Jaskunas, and Armen B. Shanafelt  
**J. Clin. Invest.**, Jun 2005; 115: 1627 - 1635.
- **Trans-10,cis-12 CLA increases adipocyte lipolysis and alters lipid droplet-associated proteins: role of mTOR and ERK signaling**  
Soonkyu Chung, Jonathan Mark Brown, Maria Boysen Sandberg, and Michael McIntosh  
**J. Lipid Res.**, May 2005; 46: 885 - 895.
- **Recombinant Human FIZZ3/Resistin Stimulates Lipolysis in Cultured Human Adipocytes, Mouse Adipose Explants, and Normal Mice**  
Tatiana Ort, Anibal A. Arjona, John R. MacDougall, Pam J. Nelson, Mark E. Rothenberg, Frank Wu, Andrew Eisen, and Yuan-Di C. Halvorsen  
**Endocrinology**, May 2005; 146: 2200 - 2209.
- **1,25-Dihydroxyvitamin D<sub>3</sub> Modulation of Adipocyte Glucocorticoid Function**  
Kristin L. Morris and Michael B. Zemel  
**Obes. Res.**, Apr 2005; 13: 670 - 677.
- **Expression and secretion of inflammation-related adipokines by human adipocytes differentiated in culture: integrated response to TNF- $\alpha$**   
Bohan Wang, John R. Jenkins, and Paul Trayhurn  
**Am J Physiol Endocrinol Metab**, Apr 2005; 288: E731 - E740.
- **The role of cyclic nucleotide phosphodiesterases in the regulation of adipocyte lipolysis**  
Peter B. Snyder, James M. Esselstyn, Kate Loughney, Sharon L. Wolda, and Vincent A. Florio  
**J. Lipid Res.**, Mar 2005; 46: 494 - 503.
- **HSV vector-mediated transduction and GDNF secretion from adipose cells**  
J. Fradette, D. Wolfe, W.F. Goins, S. Huang, R.M. Flanigan and J.C. Glorioso  
**Gene Therapy**, Jan 2005; 12: 48-58

**Zen-Bio, Inc.**

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709  
Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693  
<http://www.zen-bio.com> • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)



- **MicroRNA-143 Regulates Adipocyte Differentiation**  
Christine Esau, Xiaolin Kang, Eigen Peralta, Elaine Hanson, Eric G. Marcusson, Lingamanaidu V. Ravichandran, Yingqing Sun, Seongjoon Koo, Ranjan J. Perera, Ravi Jain, Nicholas M. Dean, Susan M. Freier, C. Frank Bennett, Bridget Lollo, and Richard Griffey  
**J. Biol. Chem.**, Dec 2004; 279: 52361 - 52365.
- **Alteration of chromosome positioning during adipocyte differentiation**  
Masahiko Kuroda, Hideyuki Tanabe, Keiichi Yoshida, Kosuke Oikawa, Akira Saito, Tomoharu Kiyuna, Hiroshi Mizusawa, and Kiyoshi Mukai  
**J. Cell Sci.**, Nov 2004; 117: 5897 - 5903.
- **EPAS1 Promotes Adipose Differentiation in 3T3-L1 Cells**  
Shigeki Shimba, Taira Wada, Shuntaro Hara, and Masakatsu Tezuka  
**J. Biol. Chem.**, Sep 2004; 279: 40946 - 40953
- **Impaired Activation of Protein Kinase C- $\zeta$  by Insulin and Phosphatidylinositol-3,4,5-(PO<sub>4</sub>)<sub>3</sub> in Cultured Preadipocyte-Derived Adipocytes and Myotubes of Obese Subjects**  
M. P. Sajan, M. L. Standaert, A. Miura, G. Bandyopadhyay, P. Vollenweider, D. M. Franklin, R. Lea-Currie, and R. V. Farese  
**J. Clin. Endocrinol. Metab.**, Aug 2004; 89: 3994 - 3998.
- **Conjugated Linoleic Acid Induces Human Adipocyte Delipidation: AUTOCRINE/PARACRINE REGULATION OF MEK/ERK SIGNALING BY ADIPOCYTOKINES**  
J. Mark Brown, Maria Sandberg Boysen, Soonkyu Chung, Olowatoyin Fabiyi, Ron F. Morrison, Susanne Mandrup, and Michael K. McIntosh  
**J. Biol. Chem.**, Jun 2004; 279: 26735 - 26747.
- **A Human Adenovirus Enhances Preadipocyte Differentiation**  
Sharada D. Vangipuram, Jonathan Sheele, Richard L. Atkinson, Thomas C. Holland, and Nikhil V. Dhurandhar  
**Obes. Res.**, May 2004; 12: 770 - 777.
- **Inhibition of Histone Deacetylase Activity by Valproic Acid Blocks Adipogenesis**  
Diane C. Lagace and Mark W. Nachtigal  
**J. Biol. Chem.**, Apr 2004; 279: 18851 - 18860.
- **Agouti Expression in Human Adipose Tissue: Functional Consequences and Increased Expression in Type 2 Diabetes**  
Steven R. Smith, Barbara Gawronska-Kozak, Lenka Janderová, Taylor Nguyen, Angela Murrell, Jacqueline M. Stephens, and Randall L. Mynatt  
**Diabetes**, Dec 2003; 52: 2914

**Zen-Bio, Inc.**

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709  
Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693  
[http:// www.zen-bio.com](http://www.zen-bio.com) • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)



- **Octanoate Inhibits Triglyceride Synthesis in 3T3-L1 and Human Adipocytes**  
Wen Guo, Tianguang Lei, Tong Wang, Barbara E. Corkey, and Jianrong Han  
**J. Nutr.**, Aug 2003; 133: 2512 - 2518.
- **Isomer-specific regulation of metabolism and PPAR $\gamma$  signaling by CLA in human preadipocytes**  
J. Mark Brown, Maria Sandberg Boysen, Søren Skov Jensen, Ron F. Morrison, Jayne Storkson, Renee Lea-Currie, Michael Pariza, Susanne Mandrup, and Michael K. McIntosh  
**J. Lipid Res.**, Jul 2003; 44: 1287.
- **Molecular Identification of High and Low Affinity Receptors for Nicotinic Acid**  
Alan Wise, Steven M. Foord, Neil J. Fraser, Ashley A. Barnes, Nabil Elshourbagy, Michelle Eilert, Diane M. Ignar, Paul R. Murdock, Klaudia Steplewski, Andrew Green, Andrew J. Brown, Simon J. Dowell, Philip G. Szekeres, David G. Hassall, Fiona H. Marshall, Shelagh Wilson, and Nicholas B. Pike  
**J. Biol. Chem.**, Mar 2003; 278: 9869 - 9874.
- **Modulation of 11 $\beta$ -Hydroxysteroid Dehydrogenase Type 1 in Mature Human Subcutaneous Adipocytes by Hypothalamic Messengers**  
Mark Friedberg, Emmanouil Zoumakis, Naoki Hiroi, Tarif Bader, George P. Chrousos, and Ze'ev Hochberg  
**J. Clin. Endocrinol. Metab.**, Jan 2003; 88: 385 - 393.
- **Tumor Necrosis Factor- $\alpha$  Stimulates Lipolysis in Differentiated Human Adipocytes Through Activation of Extracellular Signal-Related Kinase and Elevation of Intracellular cAMP**  
Hui H. Zhang, Melanie Halbleib, Faiyaz Ahmad, Vincent C. Manganiello, and Andrew S. Greenberg  
**Diabetes**, Oct 2002; 51: 2929.
- **1 $\alpha$ ,25-dihydroxyvitamin D $_3$  inhibits uncoupling protein 2 expression in human adipocytes**  
Hang Shi, Anthony W. Norman, William H. Okamura, Anindita Sen, and Michael B. Zemel  
**FASEB J**, Sep 2002; 10.1096/fj.02-0255fje.
- **Hormonal regulation of interleukin-6 production in human adipocytes**  
V. Vicennati, A. Vottero, C. Friedman, D.A. Papanicolaou  
**Int. J. Obesity**, July 2002; 26: 905-911
- **PKC- $\zeta$  Mediates Insulin Effects on Glucose Transport in Cultured Preadipocyte-Derived Human Adipocytes**  
Gautam Bandyopadhyay, Mini P. Sajan, Yoshinori Kanoh, Mary L. Standaert, Michael J. Quon, Rene Lea-Currie, Anindita Sen, and Robert V. Farese  
**J. Clin. Endocrinol. Metab.**, Feb 2002; 87: 716 - 723.

**Zen-Bio, Inc.**

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709  
Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693  
<http://www.zen-bio.com> • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)



- **Orbital Fibroblast Heterogeneity May Determine the Clinical Presentation of Thyroid-Associated Ophthalmopathy**  
Terry J. Smith, Laura Koumas, AnneMarie Gagnon, Andrea Bell, Gregory D. Sempowski, Richard P. Phipps, and Alexander Sorisky  
**J. Clin. Endocrinol. Metab.**, Jan 2002; 87: 385 - 392.
- **The Low Density Lipoprotein Receptor-related Protein Contributes to Selective Uptake of High Density Lipoprotein Cholesteryl Esters by SW872 Liposarcoma Cells and Primary Human Adipocytes**  
Gerard Vassiliou, Fabienne Benoist, Paulina Lau, Gul Nihan Kavasar, and Ruth McPherson  
**J. Biol. Chem.**, Dec 2001; 276: 48823 - 48830.
- **Liver X Receptor (LXR) Regulation of the *LXR $\alpha$*  Gene in Human Macrophages**  
Karl D. Whitney, Michael A. Watson, Bryan Goodwin, Cristin M. Galardi, Jodi M. Maglich, Joan G. Wilson, Timothy M. Willson, Jon L. Collins, and Steven A. Kliewer  
**J. Biol. Chem.**, Nov 2001; 276: 43509 - 43515.
- **1 $\alpha$ ,25-Dihydroxyvitamin D<sub>3</sub> modulates human adipocyte metabolism via nongenomic action**  
Hang Shi, Anthony W. Norman, William H. Okamura, Anindita Sen, and Michael B. Zemel  
**FASEB J**, Oct 2001; 10.1096/fj.01-0584fje.
- **Mechanism of intracellular calcium ([Ca<sup>2+</sup>]<sub>i</sub>) inhibition of lipolysis in human adipocytes**  
Bingzhong Xue, Andrew G. Greenberg, Frederic B. Kraemer, and Michael B. Zemel  
**FASEB J**, Sep 2001; 10.1096/fj.01-0278fje.
- **Trans-10, Cis-12, But Not Cis-9, Trans-11, Conjugated Linoleic Acid Attenuates Lipogenesis in Primary Cultures of Stromal Vascular Cells from Human Adipose Tissue**  
J. M. Brown, Y. D. Halvorsen, Y. R. Lea-Currie, C. Geigerman, and M. McIntosh  
**J. Nutr.**, Sep 2001; 131: 2316 - 2321.
- **Expression of the Human  $\beta_3$ -Adrenergic Receptor Gene in SK-N-MC Cells Is Under the Control of a Distal Enhancer**  
Vedrana S. Susulic, Lucille LaVallette, Emir Duzic, Liang Chen, David Shuey, Sotirios K. Karathanasis, and Kurt E. Steiner  
**Endocrinology**, May 2001; 142: 1935.
- **Thiazolidinediones and glucocorticoids synergistically induce differentiation of human adipose tissue stromal cells: biochemical, cellular, and molecular analysis.**  
YD Halvorsen, A Bond, A Sen, DM Franklin, YR Lea-Currie, D Sujkowski, PN Ellis, WO Wilkison, and JM Gimble  
**Metabolism**, Apr 2001; 50(4): 407-13.

**Zen-Bio, Inc.**

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709  
Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693  
[http:// www.zen-bio.com](http://www.zen-bio.com) • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)



- **Adipogenic potential of human adipose derived stromal cells from multiple donors is heterogeneous.**  
A Sen, YR Lea-Currie, D Sujkowska, DM Franklin, WO Wilkison, YD Halvorsen, and JM Gimble  
**J Cell Biochem**, Mar 2001; 81(2): 312-9.
- **Melanocortin receptor-mediated mobilization of intracellular free calcium in HEK293 cells**  
KATHLEEN G. MOUNTJOY, PHILIP L. KONG, JOHN A. TAYLOR, DERRIL H. WILLARD, and WILLIAM O. WILKISON  
**Physiol Genomics**, Feb 2001; 5: 11.
- **Adipose-derived stromal cells--their utility and potential in bone formation.**  
YC Halvorsen, WO Wilkison, and JM Gimble  
**Int J Obes Relat Metab Disord**, Nov 2000; 24 Suppl 4: S41-4.
- **Relationship between Human Adipose Tissue Agouti and Fatty Acid Synthase (FAS)**  
Bingzhong Xue and Michael B. Zemel  
**J. Nutr.**, Oct 2000; 130: 2478 - 2481.
- **Transcriptional regulation of the adipocyte fatty acid synthase gene by agouti: interaction with insulin**  
KATE J. CLAYCOMBE, YANXIN WANG, BRYNN H. JONES, SUYEON KIM, WILLIAM O. WILKISON, MICHAEL B. ZEMEL, JOSEPH CHUN, and NAIMA MOUSTAID-MOUSSA  
**Physiol Genomics**, Sep 2000; 3: 157.
- **Role of intracellular calcium in human adipocyte differentiation**  
HANG SHI, YUAN-DI HALVORSEN, PAMELA N. ELLIS, WILLIAM O. WILKISON, and MICHAEL B. ZEMEL  
**Physiol Genomics**, Aug 2000; 3: 75.
- **Synthesis and Secretion of Plasminogen Activator Inhibitor-1 by Human Preadipocytes**  
David L. Crandall, Elaine M. Quinet, Gwen A. Morgan, Dennis E. Busler, Barbara McHendry-Rinde, and John G. Kral  
**J. Clin. Endocrinol. Metab.**, Sep 1999; 84: 3222 - 3227.
- **A Novel Method for Analysis of Nuclear Receptor Function at Natural Promoters: Peroxisome Proliferator-Activated Receptor  $\gamma$  Agonist Actions on a P2 Gene Expression Detected Using Branched DNA Messenger RNA Quantitation**  
Thomas P. Burris, Patricia D. Pelton, Lubing Zhou, Melville C. Osborne, Ellen Cryan, and Keith T. Demarest  
**Mol. Endocrinol.**, Mar 1999; 13: 410.

**Zen-Bio, Inc.**

3200 Chapel Hill-Nelson Blvd. Suite 104 • P.O. Box 13888 • Research Triangle Park, North Carolina 27709  
Toll free: 1-866-ADIPOSE • Phone: (919) 547-0692 • FAX (919) 547-0693  
[http:// www.zen-bio.com](http://www.zen-bio.com) • e-mail: [information@zen-bio.com](mailto:information@zen-bio.com)