

Additional PDF Citations

- **3T3-L1 (mouse)**
 - **EPAS1 Promotes Adipose Differentiation in 3T3-L1 Cells.** Shigeki Shimba, Taira Wada, Shuntaro Hara, and Masakatsu Tezuka *J. Biol. Chem.*, Sep 2004; 279: 40946 – 40953
 - **Expression, regulation, and triglyceride hydrolase activity of Adiponutrin family members.** Andrew C. Lake, Ying Sun, Jian-Liang Li, Jae Eun Kim, Jeremy W. Johnson, Dongmei Li, Tracy Revett, Heather H. Shih, Wei Liu, Janet E. Paulsen, and Ruth E. Gimeno *J. Lipid Res.*, Nov 2005; 46: 2477 - 2487.
 - **Isoginkgetin enhances adiponectin secretion from differentiated adiposarcoma cells via a novel pathway involving AMP-activated protein kinase.** Guohong Liu, Mirta Grifman, James Macdonald, Peter Moller, Flossie Wong-Staal, and Qi-Xiang Li *J. Endocrinol.*, Sep 2007; 194: 569 - 578.
 - **Comparison of messenger RNA distribution for 60 proteins in fat cells vs the nonfat cells of human omental adipose tissue.** J. N. Fain, B. Buehrer, S. W. Bahouth, D. S. Tichansky and A. K. Madan *Metabolism*. 2008; 57 (7): 1005-15.
 - **Resveratrol Potentiates Genistein's Antidiipogenic and Proapoptotic Effects in 3T3-L1 Adipocytes.** Srujana Rayalam, Mary Anne Della-Fera, Jeong-Yeh Yang, Hea Jin Park, Suresh Ambati, and Clifton A. Baile *J. Nutr.*, Dec 2007; 137: 2668 - 2673.
- **Adult Stem Cells**
 - **3D hydrogel model using adipose-derived stem cells for vocal fold augmentation.** H. Park, S. Karajanagi, K. Wolak, J. Aanestad, L. Deheron, J. Kobler, G. Lopez-Guerra, J. Heaton, R. S. Langer and S. Zeitels *Tissue Eng Part A* 2010; 16:535–543.
 - **Impaired Activation of Protein Kinase C- by Insulin and Phosphatidylinositol-3,4,5-(PO4)3 in Cultured Preadipocyte-Derived Adipocytes and Myotubes of Obese Subjects.** M. P. Sajan, M. L. Standaert, A. Miura, G. Bandyopadhyay, P. Vollenweider, D. M. Franklin, R. Lea-Currie, and R. V. Farese *J. Clin. Endocrinol. Metab.*, Aug 2004; 89: 3994 - 3998.
 - **Adipose-Derived Stem Cells for Regenerative Medicine.** Jeffrey M. Gimble, Adam J. Katz, and Bruce A. Bunnell *Circ. Res.*, May 2007; 100: 1249 - 1260.
 - **MicroRNA-143 Regulates Adipocyte Differentiation.** Christine Esau, Xiaolin Kang, Eigen Peralta, Elaine Hanson, Eric G. Marcusson, Lingamanaidu V. Ravichandran, Yingqing Sun, Seongjoon Koo, Ranjan J. Perera, Ravi Jain, Nicholas M. Dean, Susan M. Freier, C. Frank Bennett, Bridget Lollo, and Richard Griffey *J. Biol. Chem.*, Dec 2004; 279: 52361 - 52365.
 - **The ubiquitin ligase Fbxw7 controls adipocyte differentiation by targeting C/EBP α for degradation.** Maria T. Bengoechea-Alonso and Johan Ericsson *PNAS* 2010 107 (26) 11817-11822; doi:10.1073/pnas.0913367107
- **Cell Culture Media**
 - **Subcutaneous Adipocyte & Preadipocyte**
 - **Alteration of chromosome positioning during adipocyte differentiation** Masahiko Kuroda, Hideyuki Tanabe, Keiichi Yoshida, Kosuke Oikawa, Akira Saito, Tomoharu Kiyuna, Hiroshi Mizusawa, and Kiyoshi Mukai *J. Cell Sci.*, Nov 2004; 117: 5897 - 5903.
 - **Conjugated Linoleic Acid Promotes Human Adipocyte Insulin Resistance through NFB-dependent Cytokine Production** Soonkyu Chung, J. Mark Brown, J. Nathan Provo, Robin Hopkins, and Michael K. McIntosh *J. Biol. Chem.*, Nov 2005; 280: 38445 - 38456.
 - **FGF-21 as a novel metabolic regulator** Alexei Kharitonov, Tatiana L. Shiyanova, Anja Koester, Amy M. Ford, Radmila Micanovic, Elizabeth J. Galbreath, George E. Sandusky, Lisa J. Hammond, Julie S. Moyers, Rebecca A. Owens, Jesper Gromada, Joseph T. Brozinick, Eric D. Hawkins, Victor J. Wroblewski, De-Shan Li, Farrokh Mehrbod, S. Richard Jaskunas, and Armen B. Shanafelt *J. Clin. Invest.*, Jun 2005; 115: 1627 - 1635.
 - **Human adipose-derived stem cells: isolation, characterization and applications in surgery.** Locke, M., Windsor, J. and Dunbar, P. R. (2009). ANZ Journal of Surgery, 79: 235–244. doi: 10.1111/j.1445-2197.2009.04852.x
 - **Prediction of Naphthalene Bioaccumulation Using an Adipocyte Cell Line Model.** Viravaidya, K. and Shuler, M. L. (2002). Biotechnology Progress, 18: 174–181. doi: 10.1021/bp0101684
- **Cosmeceutical Kits**
 - **ORAC Antioxidant Assay Kit**
 - Bloomer et al.: **A 21 day Daniel Fast improves selected biomarkers of antioxidant status and oxidative stress in men and women.** Nutrition & Metabolism 2011 8:1

- **Fetal Bovine Serum**
 - **Modulation of Adipose Tissue Development by Pharmacological Inhibition of PAI-1** David L. Crandall, Elaine M. Quinet, Soulaf El Ayachi, Amy L. Hreha, Courtney E. Leik, Dawn A. Savio, Irene Juhan-Vague, and Marie-Christine Alessi *Arterioscler. Thromb. Vasc. Biol.*, Oct 2006; 26: 2209 - 2215.
 - **Sustained transgene expression by human cord blood derived CD34+ cells transduced with simian immunodeficiency virus agmTYO1-based vectors carrying the human coagulation factor VIII gene in NOD/SCID mice.** Kikuchi J, Mimuro J, Ogata K, Tabata T, Ueda Y, Ishiwata A, Kimura K, Takano K, Madoiwa S, Mizukami H, Hanazono Y, Kume A, Hasegawa M, Ozawa K, Sakata Y. *J Gene Med* 2004; 6: 1049–60.
 - **Tools for the identification of bioactives impacting the metabolic syndrome: screening of a botanical extract library using subcutaneous and visceral human adipose-derived stem cell-based assays.** Benjamin M. Buehrer, David J. Duffin, Y. Renee Lea-Currie, David Ribnicky, Ilya Raskin, Jacqueline M. Stephens, William T. Cefalu, Jeffrey M. Gimble, *The Journal of Nutritional Biochemistry*, In Press, Corrected Proof, Available online 4 May 2011, ISSN 0955-2863, DOI: 10.1016/j.jnutbio.2011.02.005.
 - **12/15-lipoxygenase products induce inflammation and impair insulin signaling in 3T3-L1 adipocytes.** Chakrabarti SK, Cole BK, Wen Y, Keller SR, Nadler JL. *Obesity*. 2009;17:1657–1663.
- **Fibroblasts**
 - **Tissue-selective effects of injected deoxycholate.** Thuangtong R, Bentow JJ, Knopp K, et al. *Dermatol Surg* 2010;36:899–908.
- **General Subcutaneous Adipocyte**
 - **1,25-Dihydroxyvitamin D3 Modulation of Adipocyte Glucocorticoid Function.** Kristin L. Morris and Michael B. Zemel *Obes. Res.*, Apr 2005; 13: 670 - 677.
 - **Adipose tissue mass is modulated by SLUG (SNAI2)** Pedro Antonio Pérez-Mancera, Camino Bermejo-Rodríguez, Inés González-Herrero, Michel Herranz, Teresa Flores, Rafael Jiménez, and Isidro Sánchez-García *Hum. Mol. Genet.*, Dec 2007; 16: 2972 - 2986.
 - **Genistein inhibits differentiation of primary human adipocytes** H. J. Park, M. A. Della-Fera, D. B. Hausman, S. Rayalam, S. Ambati and C. A. Baile *J Nutr Biochem*. 2009; 20 (2): 140-8.
 - **Conjugated Linoleic Acid Induces Human Adipocyte Delipidation: AUTOCRINE/PARACRINE REGULATION OF MEK/ERK SIGNALING BY ADIPOCYTOKINES** J. Mark Brown, Maria Sandberg Boysen, Soonkyu Chung, Olowatoyin Fabiyi, Ron F. Morrison, Susanne Mandrup, and Michael K. McIntosh *J. Biol. Chem.*, Jun 2004; 279: 26735 - 26747.
 - **Hormonal regulation of interleukin-6 production in human adipocytes** V. Vicennati, A. Vottero, C. Friedman, D.A. Papanicolaou *Int. J. Obesity*, July 2002; 26: 905-911
 - **Isomer-specific regulation of metabolism and PPAR signaling by CLA in human preadipocytes.** J. Mark Brown, Maria Sandberg Boysen, Søren Skov Jensen, Ron F. Morrison, Jayne Storkson, Renee Lea-Currie, Michael Pariza, Susanne Mandrup, and Michael K. McIntosh *J. Lipid Res.*, Jul 2003; 44: 1287.
 - **Modulation of 11 β -Hydroxysteroid Dehydrogenase Type 1 in Mature Human Subcutaneous Adipocytes by Hypothalamic Messengers.** Mark Friedberg, Emmanouil Zoumakis, Naoki Hiroi, Tarif Bader, George P. Chrousos, and Ze'ev Hochberg *J. Clin. Endocrinol. Metab.*, Jan 2003; 88: 385 - 393.
 - **Regulation of adiponectin release and demonstration of adiponectin mRNA as well as release by the non-fat cells of human omental adipose tissue.** J. N. Fain, B. Buehrer, D. S. Tichansky and A. K. Madan *Int J Obes (Lond)*. 2008; 32 (3): 429-35.
 - **Thioredoxin-Binding Protein-2-Like Inducible Membrane Protein Is a Novel Vitamin D3 and Peroxisome Proliferator-Activated Receptor (PPAR) Ligand Target Protein that Regulates PPAR Signaling.** Shin-ichi Oka, Hiroshi Masutani, Wenrui Liu, Hiroyuki Horita, Dongmei Wang, Shinae Kizaka-Kondoh, and Junji Yodoi *Endocrinology*, Feb 2006; 147: 733 - 743.
 - **Trans-10,cis-12 CLA increases adipocyte lipolysis and alters lipid droplet-associated proteins: role of mTOR and ERK signaling.** Soonkyu Chung, Jonathan Mark Brown, Maria Boysen Sandberg, and Michael McIntosh *J. Lipid Res.*, May 2005; 46: 885 - 895.
 - **Viscoelastic properties of human mesenchymally-derived stem cells and primary osteoblasts, chondrocytes, and adipocytes.** E. M. Darling, M. Topel, S. Zauscher, T. P. Vail and F. Guilak *J Biomech*. 2008; 41 (2): 454-64.
 - **Zinc-alpha2-glycoprotein, a lipid mobilizing factor, is expressed in adipocytes and is up-regulated in mice with cancer cachexia.** C. Bing, Y. Bao and J. Jenkins et al., *Proc Natl Acad Sci U S A* 101 (2004), pp. 2500–2505.

- Regulation of adiponectin in adipocytes upon exposure to HIV-1. **HIV Medicine.** Sankalé J.-L., Tong, Q., Hadigan, C., Tan, G., Grinspoon, S., Kanki, P. and Hotamisligil, G. (2006), 7: 268–274. doi: 10.1111/j.1468-1293.2006.00372.x

- Adipocytes

- 1,25-Dihydroxyvitamin D₃ Modulation of Adipocyte Reactive Oxygen Species Production Xiaocun Sun and Michael B. Zemel **Obesity**, Aug 2007; 15: 1944 - 1953.
- A novel selective 11 β -hydroxysteroid dehydrogenase type 1 inhibitor prevents human adipogenesis. I. J. Bujalska, L. L. Gathercole, J. W. Tomlinson, C. Darimont, J. Ermolieff, A. N. Fanjul, P. A. Rejto and P. M. Stewart **J Endocrinol.** 2008; **197** (2): 297-307.
- Calcitriol and calcium regulate cytokine production and adipocyte-macrophage cross-talk. X. Sun and M. B. Zemel **J Nutr Biochem.** 2008; **19** (6): 392-9.
- Endogenous ApoE Expression Modulates Adipocyte Triglyceride Content and Turnover Zhi Hua Huang, Catherine A. Reardon, and Theodore Mazzone **Diabetes**, Dec 2006; 55: 3394 - 3402.
- Expression of the Human β 3-Adrenergic Receptor Gene in SK-N-MC Cells Is Under the Control of a Distal Enhancer Vedrana S. Susulic, Lucille LaValette, Emir Duzic, Liang Chen, David Shuey, Sotirios K. Karathanasis, and Kurt E. Steiner **Endocrinology**, May 2001; 142: 1935.
- HSV vector-mediated transduction and GDNF secretion from adipose cells. J. Fradette, D. Wolfe, W.F. Goins, S. Huang, R.M. Flanigan and J.C. Glorioso **Gene Therapy**, Jan 2005; 12: 48-58.
- In vitro investigations related to the hypothesis that Lipoatrophia semicircularis finds its origin in electro-stimulation. L. Verschaeve and A. Maes **J Appl Toxicol.** 2009; **29** (6): 478-82.
- Inflammation may modulate IL-6 and C-reactive protein gene expression in the adipose tissue: the role of IL-6 cell membrane receptor Bruno Memoli, Alfredo Procino, Paolo Calabro, Pasquale Esposito, Giuseppe Grandaliano, Giovanni Pertosa, Marco Del Prete, Michele Andreucci, Saverio Di Lillo, Giuseppe Ferulano, Clemente Cillo, Silvia Savastano, Annamaria Colao, and Brunella Guida **Am J Physiol Endocrinol Metab**, Oct 2007; 293: E1030 - E1035.
- Role of intracellular calcium in human adipocyte differentiation. HANG SHI, YUAN-DI HALVORSEN, PAMELA N. ELLIS, WILLIAM O. WILKISON, and MICHAEL B. ZEMEL **Physiol Genomics**, Aug 2000; 3: 75.
- Nicotinic Acid Receptor Agonists Differentially Activate Downstream Effectors. Jeremy G. Richman, Martha Kanemitsu-Parks, Ibragim Gaidarov, Jill S. Cameron, Peter Griffin, Hong Zheng, Nuvia C. Guerra, Linda Cham, Dominique Maciejewski-Lenoir, Dominic P. Behan, Doug Boatman, Ruoping Chen, Philip Skinner, Priscilla Ornelas, M. Gerard Waters, Samuel D. Wright, Graeme Semple, and Daniel T. Connolly **J. Biol. Chem.**, Jun 2007; 282: 18028 - 18036.
- Octanoate Inhibits Triglyceride Synthesis in 3T3-L1 and Human Adipocytes. Wen Guo, Tianguang Lei, Tong Wang, Barbara E. Corkey, and Jianrong Han **J. Nutr.**, Aug 2003; 133: 2512 - 2518.
- PKC- Mediates Insulin Effects on Glucose Transport in Cultured Preadipocyte-Derived Human Adipocytes. Gautam Bandyopadhyay, Mini P. Sajan, Yoshinori Kanoh, Mary L. Standaert, Michael J. Quon, Rene Lea-Currie, Anindita Sen, and Robert V. Farese **J. Clin. Endocrinol. Metab.**, Feb 2002; 87: 716 - 723.
- PPAR regulates adipocyte cholesterol metabolism via oxidized LDL receptor 1. Patricia C. Chui, Hong-Ping Guan, Michael Lehrke, and Mitchell A. Lazar **J. Clin. Invest.**, Aug 2005; 115: 2244 - 2256.
- The adipose tissue triglyceride lipase ATGL/PNPLA2 is downregulated by insulin and TNF- in 3T3-L1 adipocytes and is a target for transactivation by PPAR. Ji Young Kim, Kristin Tillison, Jun-Ho Lee, David A. Rearick, and Cynthia M. Smas **Am J Physiol Endocrinol Metab**, Jul 2006; 291: E115 - E127.
- The Low Density Lipoprotein Receptor-related Protein Contributes to Selective Uptake of High Density Lipoprotein Cholestrylo Esters by SW872 Liposarcoma Cells and Primary Human Adipocytes. Gerard Vassiliou, Fabienne Benoist, Paulina Lau, Gul Nihan Kavaslar, and Ruth McPherson **J. Biol. Chem.**, Dec 2001; 276: 48823 - 48830.
- The role of cyclic nucleotide phosphodiesterases in the regulation of adipocyte lipolysis. Peter B. Snyder, James M. Esselstyn, Kate Loughney, Sharon L. Wolda, and Vincent A. Florio **J. Lipid Res.**, Mar 2005; 46: 494 - 503.
- Thiazolidinediones and Retinoids Induce Peroxisome Proliferator-Activated Receptor-Coactivator (PGC)-1 Gene Transcription: An Autoregulatory Loop Controls PGC-1 Expression in Adipocytes via Peroxisome Proliferator-Activated Receptor- Coactivation. Elayne Hondares, Ofelia Mora, Pilar Yubero, Marisa Rodriguez de la Concepción, Roser Iglesias, Marta Giralt, and Francesc Villarroba **Endocrinology**, Jun 2006; 147: 2829 - 2838.

- ***Trans-10, Cis-12, But Not Cis-9, Trans-11, Conjugated Linoleic Acid Attenuates Lipogenesis in Primary Cultures of Stromal Vascular Cells from Human Adipose Tissue.*** J. M. Brown, Y. D. Halvorsen, Y. R. Lea-Currie, C. Geigerman, and M. McIntosh **J. Nutr.**, Sep 2001; 131: 2316 - 2321.
- ***Transcriptional regulation of the adipocyte fatty acid synthase gene by agouti: interaction with insulin.*** KATE J. CLAYCOMBE, YANXIN WANG, BRYNN H. JONES, SUYEON KIM, WILLIAM O. WILKISON, MICHAEL B. ZEMEL, JOSEPH CHUN, and NAIMA MOUSTAID-MOUSSA **Physiol Genomics**, Sep 2000; 3: 157.
- ***Tumor Necrosis Factor- Stimulates Lipolysis in Differentiated Human Adipocytes Through Activation of Extracellular Signal-Related Kinase and Elevation of Intracellular cAMP.*** Hui H. Zhang, Melanie Halbleib, Faiyaz Ahmad, Vincent C. Manganiello, and Andrew S. Greenberg **Diabetes**, Oct 2002; 51: 2929.
- ***Liver X Receptor (LXR) Regulation of the LXR Gene in Human Macrophages.*** Karl D. Whitney, Michael A. Watson, Bryan Goodwin, Cristin M. Galardi, Jodi M. Maglich, Joan G. Wilson, Timothy M. Willson, Jon L. Collins, and Steven A. Kliewer **J. Biol. Chem.**, Nov 2001; 276: 43509 - 43515.
- ***Melanocortin receptor-mediated mobilization of intracellular free calcium in HEK293 cells.*** KATHLEEN G. MOUNTJOY, PHILIP L. KONG, JOHN A. TAYLOR, DERRIL H. WILLARD, and WILLIAM O. WILKISON **Physiol Genomics**, Feb 2001; 5: 11.
- ***Molecular Identification of High and Low Affinity Receptors for Nicotinic Acid.*** Alan Wise, Steven M. Foord, Neil J. Fraser, Ashley A. Barnes, Nabil Elshourbagy, Michelle Eilert, Diane M. Ignar, Paul R. Murdock, Klaudia Steplewski, Andrew Green, Andrew J. Brown, Simon J. Dowell, Philip G. Szekeres, David G. Hassall, Fiona H. Marshall, Shelagh Wilson, and Nicholas B. Pike **J. Biol. Chem.**, Mar 2003; 278: 9869 - 9874.
- ***Intronic Polymorphisms within TFAP2B Regulate Transcriptional Activity and Affect Adipokine Gene Expression in Differentiated Adipocytes.*** Shuichi Tsukada, Yasushi Tanaka, Hiroshi Maegawa, Atsunori Kashiwagi, Ryuzo Kawamori, and Shiro Maeda **Mol. Endocrinol.**, May 2006; 20: 1104 - 1111.
- **Preadipocyte**
 - ***Inhibition of 11 β HSD1 with the S-phenylethylaminothiazolone BVT116429 increases adiponectin concentrations and improves glucose homeostasis in diabetic KKAY mice.*** M. Sundbom, C. Kaiser, E. Björkstrand, V. M. Castro, C. Larsson, G. Selén, C. S. Nyhem and S. R. James **BMC Pharmacol.** 2008; 8 3.
 - ***Role of Calcitriol and Cortisol on Human Adipocyte Proliferation and Oxidative and Inflammatory Stress: A Microarray Study.*** Xiaocun Sun, Kristin L. Morris, Michael B. Zemel **Journal of Nutrigenetics and Nutrigenomics**, 2008;1:30-48.
 - ***1,25-dihydroxyvitamin D3 inhibits uncoupling protein 2 expression in human adipocytes.*** Hang Shi, Anthony W. Norman, William H. Okamura, Anindita Sen, and Michael B. Zemel **FASEB J.**, Sep 2002; 10.1096/fj.02-0255fje.
 - ***A Human Adenovirus Enhances Preadipocyte Differentiation.*** Sharada D. Vangipuram, Jonathan Sheele, Richard L. Atkinson, Thomas C. Holland, and Nikhil V. Dhurandhar **Obes. Res.**, May 2004; 12: 770 - 777.
 - ***A Novel Method for Analysis of Nuclear Receptor Function at Natural Promoters: Peroxisome Proliferator-Activated Receptor Agonist Actions on aP2 Gene Expression Detected Using Branched DNA Messenger RNA Quantitation.*** Thomas P. Burris, Patricia D. Pelton, Lubing Zhou, Melville C. Osborne, Ellen Cryan, and Keith T. Demarest **Mol. Endocrinol.**, Mar 1999; 13: 410.
 - ***Activation of Lipoprotein Lipase by Glucose-dependent Insulinotropic Polypeptide in Adipocytes: A ROLE FOR A PROTEIN KINASE B, LKB1, AND AMP-ACTIVATED PROTEIN KINASE CASCADE.*** Su-Jin Kim, Cuilan Nian, and Christopher H. S. McIntosh **J. Biol. Chem.**, Mar 2007; 282: 8557 - 8567.
 - ***Agouti Expression in Human Adipose Tissue: Functional Consequences and Increased Expression in Type 2 Diabetes.*** Steven R. Smith, Barbara Gawronska-Kozak, Lenka Janderová, Taylor Nguyen, Angela Murrell, Jacqueline M. Stephens, and Randall L. Mynatt **Diabetes**, Dec 2003; 52: 2914.
 - ***Angiotensin II Regulates Adipocyte Apolipoprotein E Expression.*** Poornima Rao, Zhi Hua Huang, and Theodore Mazzone **J. Clin. Endocrinol. Metab.**, Nov 2007; 92: 4366 - 4372.
 - ***Calcium and 1,25-Dihydroxyvitamin D3 Regulation of Adipokine Expression.*** Xiaocun Sun and Michael B. Zemel **Obesity**, Feb 2007; 15: 340 - 348.
 - ***Expression and secretion of inflammation-related adipokines by human adipocytes differentiated in culture: integrated response to TNF.*** Bohan Wang, John R. Jenkins, and Paul Trayhurn **Am J Physiol Endocrinol Metab**, Apr 2005; 288: E731 - E740.
 - ***Halofenate Is a Selective Peroxisome Proliferator-Activated Receptor Modulator With Antidiabetic Activity.*** Tamara Allen, Fang Zhang, Shonna A. Moodie, L. Edward Clemens, Aaron Smith, Francine Gregoire, Andrea Bell, George E.O. Muscat, and Thomas A. Gustafson **Diabetes**, Sep 2006; 55: 2523 - 2533.

- Long-term treatment with interleukin-1 β induces insulin resistance in murine and human adipocytes. C. Lagathu, L. Yvan-Charvet, J.-P. Bastard, M. Maachi, A. Quignard-Boulangé, J. Capeau and M. Caron **Diabetologia** July 2006; 49:2162–2173.
- Modulation of Early Human Preadipocyte Differentiation by Glucocorticoids. Julianna J. Tomlinson, Adèle Boudreau, Dongmei Wu, Ella Atlas, and Robert J. G. Haché **Endocrinology**, Nov 2006; 147: 5284 - 5293.
- Orphan Nuclear Receptor NOR-1 Enhances 3 α ,5 β -Cyclic Adenosine 5 \prime -Monophosphate-Dependent Uncoupling Protein-1 Gene Transcription. N. Kumar, D. Liu, H. Wang, J. Robidoux and S. Collins **Mol Endocrinol**. 2008; 22 (5): 1057-64.
- Overexpression of Kruppel-Like Factor 7 Regulates Adipocytokine Gene Expressions in Human Adipocytes and Inhibits Glucose-Induced Insulin Secretion in Pancreatic β -Cell Line. Yoshihiro Kawamura, Yasushi Tanaka, Ryuzo Kawamori, and Shiro Maeda **Mol. Endocrinol.**, Apr 2006; 20: 844 - 856.
- PCR arrays identify metallothionein-3 as a highly hypoxia-inducible gene in human adipocytes. B. Wang, I. S. Wood and P. Trayhurn **Biochem Biophys Res Commun**. 2008; 368 (1): 88-93.
- Pro-inflammatory delipidizing cytokines reduce adiponectin secretion from human adipocytes without affecting adiponectin oligomerization. Peter J Simons, Petra S van den Pangaart, Johannes M F G Aerts, and Louis Boon J. **Endocrinol.**, Feb 2007; 192: 289 - 299.
- Recombinant Human FIZZ3/Resistin Stimulates Lipolysis in Cultured Human Adipocytes, Mouse Adipose Explants, and Normal Mice. Tatiana Ort, Anibal A. Arjona, John R. MacDougall, Pam J. Nelson, Mark E. Rothenberg, Frank Wu, Andrew Eisen, and Yuan-Di C. Halvorsen **Endocrinology**, May 2005; 146: 2200 - 2209.
- Regulation of lipin-1 gene expression by glucocorticoids during adipogenesis. P. Zhang, L. O'Loughlin, D. N. Brindley and K. Reue **J Lipid Res**. 2008; 49 (7): 1519-28.
- Relationship between Human Adipose Tissue Agouti and Fatty Acid Synthase (FAS). Bingzhong Xue and Michael B. Zemel **J. Nutr.**, Oct 2000; 130: 2478 - 2481.
- The Differential Interactions of Peroxisome Proliferator-Activated Receptor Ligands with Tyr473 Is a Physical Basis for Their Unique Biological Activities. Monica Einstein, Taro E. Akiyama, Gino A. Castriota, Chuanlin F. Wang, Brian McKeever, Ralph T. Mosley, Joseph W. Becker, David E. Moller, Peter T. Meinke, Harold B. Wood, and Joel P. Berger **Mol. Pharmacol.**, Jan 2008; 73: 62 - 74.
- White Tea extract induces lipolytic activity and inhibits adipogenesis in human subcutaneous (pre)-adipocytes. J. Söhle, A. Knott, U. Holtzmann, R. Siegner, E. Grönniger, A. Schepky, S. Gallinat, H. Wenck, F. Stäb and M. Winnefeld **Nutr Metab (Lond)**. 2009; 6 20.
- Effects of androgens on adipocyte differentiation and adipose tissue explant metabolism in men and women. Blouin, K., Nadeau, M., Perreault, M., Veilleux, A., Drolet, R., Marceau, P., Mailoux, J., Luu-The, V. and Tchernof, A. (2010) **Clinical Endocrinology**, 72: 176–188. doi: 10.1111/j.1365-2265.2009.03645.x
- General Visceral Adipocyte
 - Circulating Pigment Epithelium-Derived Factor Levels Are Associated with Insulin Resistance and Decrease after Weight Loss. Sabater M, Moreno-Navarrete JM, Ortega FJ, Pardo G, Salvador J, Ricart W, Frühbeck G, Fernández-Real JM 2010 **J Clin Endocrinol Metab** 95:4720–4728.
 - Preadipocyte
 - Synthesis and Secretion of Plasminogen Activator Inhibitor-1 by Human Preadipocytes. David L. Crandall, Elaine M. Quinet, Gwen A. Morgan, Dennis E. Busler, Barbara McHendry-Rinde, and John G. Kral **J. Clin. Endocrinol. Metab.**, Sep 1999; 84: 3222 - 3227.
 - Study of the proinflammatory role of human differentiated omental adipocytes. Bassols, J., Ortega, F. J., Moreno-Navarrete, J. M., Peral, B., Ricart, W. and Fernández-Real, J.-M. (2009), **Journal of Cellular Biochemistry**, 107: 1107–1117. doi: 10.1002/jcb.22208.
 - LIGHT is associated with hypertriglyceridemia in obese subjects and increased cytokine secretion from cultured human adipocytes. Bassols J, Moreno-Navarrete JM, Ortega F, Ricart W, Fernandez-Real JM (2010) **Int J Obes** 34:146–156.
 - Characterization of herpes virus entry mediator as a factor linked to obesity. Bassols J, Moreno JM, Ortega F, Ricart W, Fernandez-Real JM (2010) **Obesity** 18(2): 239–46. doi:10.1038/oby.2009.250.
- Hepatocyte
 - Preadipocytes Mediate Lipopolysaccharide-Induced Inflammation and Insulin Resistance in Primary Cultures of Newly Differentiated Human Adipocytes. Soonkyu Chung, Kathleen LaPoint, Kristina Martinez, Arion Kennedy, Maria Boysen Sandberg, and Michael K. McIntosh **Endocrinology**, Nov 2006; 147: 5340 - 5351.

- **Ritonavir, Saquinavir, and Efavirenz, but Not Nevirapine, Inhibit Bile Acid Transport in Human and Rat Hepatocytes.** Mary Peace McRae, Carolina M. Lowe, Xianbin Tian, David L. Bourdet, Richard H. Ho, Brenda F. Leake, Richard B. Kim, Kim L. R. Brouwer, and Angela D. M. Kashuba *J. Pharmacol. Exp. Ther.*, Sep 2006; 318: 1068 - 1075.
- **Mesothelial**
 - Iwahori, K., Serada, S., Fujimoto, M., Nomura, S., Osaki, T., Lee, C. M., Mizuguchi, H., Takahashi, T., Ripley, B., Okumura, M., Kawase, I., Kishimoto, T. and Naka, T. (2011), Overexpression of SOCS3 exhibits preclinical antitumor activity against malignant pleural mesothelioma. *International Journal of Cancer*, 129: n/a. doi: 10.1002/ijc.25716
 - Kubo, S., Kawasaki, Y., Yamaoka, N., Tagawa, M., Kasahara, N., Terada, N. and Okamura, H. (2010), Complete regression of human malignant mesothelioma xenografts following local injection of midkine promoter-driven oncolytic adenovirus. *The Journal of Gene Medicine*, 12: 681–692. doi: 10.1002/jgm.1486.
- **Metabolic Disease Research Kits**
 - **Lipid Accumulation**
 - **Effect of Ceramide on Mesenchymal Stem Cell Differentiation Toward Adipocytes.** F. Xu, C. C. Yang, C. Gomillion and K. J. Burg *Appl Biochem Biotechnol*. 2009.
 - **Inhibition of Histone Deacetylase Activity by Valproic Acid Blocks Adipogenesis.** Diane C. Lagace and Mark W. Nachtigal *J. Biol. Chem.*, Apr 2004; 279: 18851 - 18860.
 - **TG-1**
 - **A Growth Hormone-Releasing Peptide Promotes Mitochondrial Biogenesis and a Fat Burning-Like Phenotype through Scavenger Receptor CD36 in White Adipocytes.** Amélie Rodrigue-Way, Annie Demers, Huy Ong, and André Tremblay *Endocrinology*, Mar 2007; 148: 1009 - 1018.
 - **Mechanisms involved in the cytotoxic and cytoprotective actions of saturated versus monounsaturated long-chain fatty acids in pancreatic β-cells.** Eleftheria Diakogiannaki, Shalinee Dhayal, Caroline E Childs, Philip C Calder, Hannah J Welters, and Noel G Morgan *J. Endocrinol.*, Aug 2007; 194: 283 - 291.
 - **Beta,beta-carotene decreases peroxisome proliferator receptor gamma activity and reduces lipid storage capacity of adipocytes in a beta,beta-carotene oxygenase 1-dependent manner.** Lobo, G.P.; Amengual, J.; Li, H.N.; Golczak, M.; Bonet, M.L.; Palczewski, K.; von Lintig, J. *J. Biol. Chem.* 2010, 285, 27891–27899.
 - **Lipolysis**
 - **Hypermetabolism of Fat in V1a Vasopressin Receptor Knockout Mice.** Masami Hiroyama, Toshinori Aoyagi, Yoko Fujiwara, Junichi Birumachi, Yosuke Shigematsu, Kohji Kiwaki, Ryuji Tasaki, Fumio Endo, and Akito Tanoue *Mol. Endocrinol.*, Jan 2007; 21: 247 - 258.
 - **Thrombin increases inflammatory cytokine and angiogenic growth factor secretion in human adipose cells in vitro.** J. L. Strande and S. A. Phillips *J Inflamm (Lond)*. 2009; 6:4.
 - **Monoclonal antibody antagonists of hypothalamic FGFR1 cause potent but reversible hypophagia and weight loss in rodents and monkeys.** Haijun D. Sun, Maria Malabunga, James R. Tonra, Roberto DiRenzo, Francine E. Carrick, Huiyuan Zheng, Hans-Rudolf Berthoud, Owen P. McGuinness, Juqun Shen, Peter Bohlen, Rudolph L. Leibel, and Paul Kussie *Am J Physiol Endocrinol Metab*, Mar 2007; 292: E964 - E976.
 - **LIP-1-L1**
 - **Beta-carotene decreases peroxisome proliferator receptor gamma activity and reduces lipid storage capacity of adipocytes in a beta-carotene oxygenase 1-dependent manner.** Lobo, G.P.; Amengual, J.; Li, H.N.; Golczak, M.; Bonet, M.L.; Palczewski, K.; von Lintig, J. *J. Biol. Chem.* 2010, 285, 27891–27899.
 - **Serum_Plasma Fatty Acid and Glycerol Detection Kits**
 - **The inhibitory effect of genistein on hepatic steatosis is linked to visceral adipocyte metabolism in mice with diet-induced non-alcoholic fatty liver disease.** Mi-Hyun Kim, Kyung-Sun Kang and Yeon-Sook Lee (2010). *British Journal of Nutrition*, 104, pp 1333-1342 doi:10.1017/S0007114510002266.
- **RNA**
 - **Elevated serum levels of pigment epithelium-derived factor in the metabolic syndrome.** Yamagishi S, Adachi H, Abe A, Yashiro T, Enomoto M, Furuki K, et al. *J Clin Endocrinol Metab* 2006; 91: 2447-50.
 - **Chemerin—A new adipokine that modulates adipogenesis via its own receptor.** Roh S-G, et al. *Biochem Biophys Res Commun.* 2007;362:1013–8.

- **Assessment of fat-specific protein 27 in the adipocyte lineage suggests a dual role for FSP27 in adipocyte metabolism and cell death.** Kim, J. Y., K. Liu, S. Zhou, K. Tillison, Y. Wu, and C. M. Smas. 2008. Am. J. Physiol. Endocrinol. Metab. **294**:E654-E667.
- **A futile metabolic cycle activated in adipocytes by antidiabetic agents.** Guan, HP, et al. *Nat. Med.* 2002. **8**:1122-1128.
- **The synthetic triterpenoid CDDO-Im inhibits fatty acid synthase expression and has antiproliferative and proapoptotic effects in human liposarcoma cells.** Hughes, D. , Martel, P. , Kinlaw, W. and Eisenberg, B. (2008) *Cancer Invest* **26** , pp. 118-127.
- **Orbital Fibroblast Heterogeneity May Determine the Clinical Presentation of Thyroid-Associated Ophthalmopathy** Terry J. Smith, Laura Koumas, AnneMarie Gagnon, Andrea Bell, Gregory D. Sempowski, Richard P. Phipps, and Alexander Sorisky *J. Clin. Endocrinol. Metab.*, Jan 2002; 87: 385 - 392.
- **Total Cell Extracts**
 - **The PLIN4 Variant rs8887 Modulates Obesity Related Phenotypes in Humans through Creation of a Novel miR-522 Seed Site.** Richardson K, Louie-Gao Q, Arnett DK, Parnell LD, Lai C-Q, et al. (2011) *PLoS ONE* **6**(4): e17944. doi:10.1371/journal.pone.0017944.
 - **FUS-DDIT3 Prevents the Development of Adipocytic Precursors in Liposarcoma by Repressing PPAR γ and C/EBP α and Activating eIF4E.** P. A. Pérez-Mancera, C. Bermejo-Rodríguez, M. Sánchez-Martín, F. Abollo-Jiménez, B. Pintado and I. Sánchez-García *PLoS ONE*. 2008; **3** (7).
- **Services PDF**
 - Rosiglitazone
 - **The adipose tissue triglyceride lipase ATGL/PNPLA2 is downregulated by insulin and TNF- in 3T3-L1 adipocytes and is a target for transactivation by PPAR.** Ji Young Kim, Kristin Tillison, Jun-Ho Lee, David A. Rearick, and Cynthia M. Smas *Am J Physiol Endocrinol Metab*, Jul 2006; **291**: E115 - E127.